

河北兆发科技有限公司

Hebei Zhaofa Technology Co., LTD

地址:中国河北省衡水市冀州区周胡村

Add: Zhouhu Village, Jizhou Zone, Hengshui City, Hebei

Province, China.

邮编:053200 P.C:053200

电话(Tel):86-15713285867,86-13393285867

E-mail:john@zhaofamedical.com

网址:(Web):www.zhaofamedical.com





兆 发 医 疗 ZHAOFA MEDICAL

HEBEI

CHINA













公司简介 Company Introduction

Hebei ZHAOFA Technology Co.,Ltd. Is the manufacture in the north of China, The main products in our company are hospital bed, bedside cabinet, wheelchair, walker, crutches and so on. Our products are designed and manufactured to international standards. The company covers an area of 3000 square meters, providing good working environment for employees. We have complete sets of equipment, good production and excellent quality management system, strict quality control inspection. Most of our products have CE certification. Our company is major in providing the most comprehensive information and service, which make the clients more satisfied Pay attention to customers, listen to our customers, to improve customer's satisfaction are our goal. You can order directly from the website or send the order details; we provide OEM and ODM services. Our sales assistant will reply your email immediately, welcome to our factory!





Company profile03
Electric hospital bed05
Manual hospital bed12
Nursing bed19
Hospital equipment27
Rehabilitation equipment34

mpan











产品名称: 特克思教 Product (a) a Datata as per effectual list.

产品位形成各类党证号: 诗见符录 Registration contificate(a)。 Details as per elected list. ケア北京: 雷水等東京市基施を開金司 Manifesturer: Banakai Danvas: Entired continuent Co., LTD

化产业价值店。表本专案系属类用模型规模 Adigues of merchantsoner Respiral City Fishes District Fishes town Deades

立产外で高名表定证券。美質を高度確認と外令 20190007 号 Manufaturing Liestas (s): medical davice on file under Enegetal Food and Drug Repowleton Administration, Publish Thorings 15, 3010287 就证明上述产品已常转在中国生产和债务。 This is to certify that the above products have been registered to be manufactured and sold in







厂房+设备 Workshop + Equipment













企业文化 Corporate

culture







ZAZFZB 际案例 case





































ZF-EA-02电动五功能床

尺寸 (Size): 2050×1050×430/700mm



ZF-EA-03电动五功能床

尺寸 (Size): 2050×1050×430/700mm



ZF-EA-04 ICU 电动五功能床 ICU electric bed five function

尺寸 (Size): 2050×1050×430/700mm









ZF-EA-05 电动五功能床 Electric bed five function

尺寸 (Size): 2050×1050×430/700mm




Electric 5 function hospital bed(with manual CPR)

ZF-EA-14 电动五功能病床 (带手动CPR功能)



Configuration and technical parameters 配置及技术参数:



Function display 功能展示:












Product detail presentation



Electric 5 function hospital bed (with weighing scale)

ZF-EA-15 电动五功能病床 (带称重功能)



Configuration and technical parameters 配置及技术参数:



Function display 功能展示:












Electric 5 function hospital bed

ZF-EA-16 电动五功能病床



Configuration and technical parameters 配置及技术参数:



Control System	Bed surface	Head & foot board	Side rails	Casters
控制系统	床面	床头、床尾板	护栏	脚轮
Electric (4 motors) 电动(四个电机)	Stamping coiled steel 卷板冲压床面	PP Square with controller PP方形床头带控制面板	Stainless steel and Aluminum alloy 不锈钢立柱铝合金护栏	Double-sided wheel 静音双面脚轮

Electric 3 function hospital bed

ZF-EA-17 电动三功能病床



Configuration and technical parameters 配置及技术参数:



Function display 功能展示:









功能展示: Product detail presentation



High quality PP head & foot board 优质PP床头床尾板 (经典款)



Steel plate integral stamping bed surface 钢板整体冲压床面



4-PP tuck-away side rail with angle indicator PP四小折叠护栏带角度指示器



Central control brake system 360° rotating silent double-sided casters 中控刹车系统360°旋转静音双侧脚轮




CE certified motor (two years warranty)
CE认证电机(质保两年,手控器可带电动CPR功能)

Electric 3 function hospital bed (with control panel)

ZF-EA-18 电动三功能病床 (床头护栏带控制板)



Configuration and technical parameters 配置及技术参数:



Function display 功能展示:









Electric 3 function hospital bed

ZF-EA-19 电动三功能病床



Configuration and technical parameters 配置及技术参数:









curving and Height ac

feight adjustment (customizable 整体升降(可定制)

CPR Electric CPR 曲动CPR

Function display 功能展示:









450mn	1 – 700mm 2150MM x 1050I	MM 0–80°	0-30° 背膝同升降	360-610mm / 450-700mm / 500-750mm	
	Control System 控制系统	Bed surface 床面	Head & foot board 床头、床尾板	Side rails 护栏	Casters 脚轮
	Electric (3 motors) 电动(3个电机)	Overall stamping 整体冲压床面	PP material type PP吹塑经典款	4–PP tuck–away 优质PP四小护栏	Double-sided wheel 静音双面脚轮

Electric 2 function hospital bed

ZF-EA-20 电动两功能病床



PP吹塑经典款

Configuration and technical parameters 配置及技术参数:



整体冲压床面

电动(2个电机)

Function display 功能展示:



Back rest lifting 起背功能



Leg rest lifting 曲腿功能



Leg curving and backrest rise-up 背膝同升降

Casters 脚轮

Central locking system

中控刹车脚轮

Side rails 护栏

4-PP tuck-away

四小护栏(带角度指示器)

Electric 2 function hospital bed

ZF-EA-21 电动两功能病床



Configuration and technical parameters 配置及技术参数:



ZF-EA-06电动五功能床

尺寸 (Size): 2050×1050×430/700mm



ZF-EA-08 电动三功能床

尺寸 (Size): 2050×1050×430/700mm



ZF-EA-07电动五功能床

尺寸 (Size): 2050×1020×530mm



ZF-EA-09电动三功能床

尺寸 (Size): 2050×1050×430/700mm



ZF-EA-10 电动三功能床

尺寸 (Size): 2050×1050×430/700mm









ZF-EA-11电动两功能透析床

尺寸 (Size): 2050×960×500mm



ZF-EA-12 电动三功能床

尺寸 (Size): 2050×960×430/700mm













ZF-MA-01手动四摇五功能床

尺寸 (Size): 2050×960×430/700mm



ZF-MA-03手动三摇床



ZF-MA-02手动三摇床

尺寸 (Size): 2050×1050×430/700mm





ZF-MA-04手动三摇床

尺寸 (Size): 2050×1050×430/700mm








Manual 5 function hospital bed

ZF-MA-37 手动五功能病床



Configuration and technical parameters 配置及技术参数:



Control System	Bed surface	Head & foot board	Side rails	Casters
控制系统	床面	床头、床尾板	护栏	脚轮
ABS hidden crank 手动-ABS隐藏折叠摇柄	Overall stamping 整体冲压床面	PP Square PP方形床头	4-PP tuck-away PP四小护栏	

Function display 功能展示:










Manual 5 function hospital bed

ZF-MA-38 手动五功能病床



Configuration and technical parameters 配置及技术参数:



Control System	Bed surface	Head & foot	Side rails	Casters
控制系	床面	床头、床尾	护栏	脚轮
Steel folding crank	Overall stamping	ABS Square	Stainless steel and Aluminum alloy 不锈钢立柱铝合金护栏	Silent single wheel
手动钢制折叠摇柄(带限位)	整体冲压床面	ABS方形		静音单面脚轮

Manual 3 function hydraulic hospital bed

手动液压三功能病床



Configuration and technical parameters 配置及技术参数:













腿部升降



背膝同升降



整体升降(可定制) 360-610mm / 450-700mm / 500-750mm

2150MM x 1050MM Bed surface Control System 控制系统 床面 Overall stamping ABS hidden crank 手动-ABS隐藏折叠摇柄

整体冲压床面

床头、床尾板 PP Square PP方形床头

Head & foot board

Side rails 护栏 All aluminum alloy 全铝合金材质护栏

Casters 脚轮 Silent single wheel 静音单面脚轮

Function display 功能展示:









Manual 3 function hospital bed

手动三功能病床



Configuration and technical parameters 配置及技术参数:









Leg rest lifting

腿部升降





整体升降(可定制) 360-610mm / 450-700mm / 500-750mm



Function display 功能展示:









ZF-MA-05手动三摇床


尺寸 (Size): 2050×960×430/700mm



ZF-MA-06 手动三摇床



ZF-MA-07手动三摇床



ZF-MA-08 手动双摇床 尺寸 (Size): 2050×1050×500mm

ZF-MA-09 手动双摇床

尺寸 (Size): 2050×960×500mm



ZF-MA-10手动双摇床 Two cranks hospital bed

尺寸 (Size): 2050×960×500mm



ZF-MA-11手动双摇床

尺寸 (Size): 2050×1050×500mm







ZF-MA-12手动双摇床

尺寸 (Size): 2050×1050×500mm





ZF-MA-13手动双摇床

尺寸(Size): 2050×1050×500mm



ZF-MA-14手动双摇床

尺寸 (Size): 2050×960×500mm







ZF-MA-17日式护栏双摇床

尺寸 (Size): 2050×960×500mm







ZF-MA-18手动双摇床

尺寸 (Size): 2050×960×500mm





ZF-MA-19手动双摇床

尺寸 (Size): 2050×960×500mm







ZF-MA-20手动双摇床

尺寸 (Size): 2050×960×500mm





ZF-MA-21 手动双摇床

尺寸 (Size): 2050×960×500mm



ZF-MA-22 手动双摇床-C型板床面

尺寸 (Size): 2050×960×500mm



ZF-MA-23手动双摇床-@口型

尺寸 (Size): 2050×960×500mm



ZF-MA-24手动双摇床 尺寸 (Size): 2050×960×500mm RESERVE SEED

ZF-MA-25 手动单摇床

尺寸 (Size): 2050×960×500mm



ZF-MA-26 手动单摇床

尺寸 (Size): 2050×960×500mm



ZF-MA-27手动单摇床



ZF-MA-28 手动单摇床

尺寸 (Size): 2050×960×500mm



ZF-MA-29 手动单摇床 -C型版床面

尺寸 (Size): 2050×960×500mm

ZF-MA-31手动单摇床



尺寸 (Size): 2050×960×430/700mm



ZF-MA-30 手动单摇床 - 便口型

尺寸 (Size): 2050×960×500mm



ZF-MA-32 平板病床



ZF-MA-33手动双摇床

尺寸 (Size): 2050×1050×480mm



ZF-MA-34手动双摇床

尺寸 (Size): 2050×900×480mm



ZF-MA-35 手动单摇床 - 便口型

尺寸 (Size): 2050×900×480mm



ZF-MA-36平板病床

尺寸 (Size): 2050×900×480mm





功能特点: Function characteristics

- · 外型尺寸:(长x宽x床面高)2025x1025 x500mm
- · 功能: 电动左右翻身、电动起身、电动腿位升降、手动坐便转换
- · 手动电动两种操作模式,满足不同条件下产品的正常使用
- · 可一键复位到床体平躺状态,不必依次恢复各功能
- · 全封闭实木护栏上下升降操作,坚固、轻便、易于清洁
- · 起背防侧滑: 随着人体坐起角度不断加大,两侧床板向内运动,呈半包围形式,避免被护理者向两侧倾斜。
- · 定时翻身时间有 30 分钟与 45 分钟两种操作模式可供选择
- 床头床尾采用优质刨花板和优质实木板组合成型
- · 坐便转换为手动快速扳手,可使便口在 1 秒内打开,减少等待时间
- · 重量: 110kg 工作负重: 200kg

- 1. Overall dimension: (length * width * height) 2,0250 * 1,025 * 500mm
- Functions: power-driven turnover to left and right, power-driven back lifting, power-driven leg position lifting and falling, and manually potty conversion
- 3. Manual & electric operation modes, to meet the normal use under different conditions
- 4. The bed body can realize one -button resetting to lie-flat status without any need to restore functions one by one.
- 5. The fully enclosed solid wood guardrail is lifted up and down, sturdy, lightweight and easy to clean.
- 6. Back ifing prevents side slide, as sit-up angle of the human body continuously increases, bedplates at two sides move inward inhalf- surrounded pattern sO as to prevent the person to becared from indining to two sides.
- 7. Timed turnover period is optional (30min or 45min).
- 8. The bedside bed is made of high quality particleboard and high quality solid wood panels.
- The pedestal pan is changed into a manual quick wrench, which can open the mouth in a second and reduce the waiting time
- 10. Weight:110kg work load:200kg.













Zhaofa Medical

Multifunctional nursing bed series

ZF-ME-02A

手电两用家居整体翻身护理床

ZF-ME-02A Manual & electric biservice household integral turning over nursing bed

功能特点: Function characteristics

- 功能: 电动左右翻身、电动起身、电动腿位升降、手动坐便转换
- 手动电动两种操作模式,满足不同条件下产品的正常使用,可一键复位到床体平躺状态,不必依次恢复各功能
- ABS 大护栏可上下升降,下降过程中有气动减速装置,防止在下降过程中速度太快。ABS 大护栏可完全下降 到床面下方, 更方便用户上下床

- 2. Functions: power-driven turnover to left and right, power-driven back lifting, power-driven leg position lifting
- one-button resetting to lie-flat status without any need to restore functions one by one.
- prevent too fast speed. ABS guardrail can be completely dropped to the bottom of the bed, which is more convenient for users to get off from the bed
- the process of turning over more comfortable.
- 6. Parts under operation can be stopped by pressing one button in order to prevent special situation occurring because of misoperation.
- 7. Timed turnover period is optional (30min or 45min).
- 8. The bedside and guardrail are decorated with wood grain color, which is more suitable for home furnishing
- 9. The pedestal pan is changed into a manual quick wrench, which can open the mouth in a second and reduce
- 10. Weight:110kg work load:200kg


- 外型尺寸: (长 × 宽 × 床面高) 2080 × 1040 × 560mm

- 床面可整体向左右翻身,提高翻身效果,使翻身过程更加舒适
- 可一键停止所有正在运行工作的部件,防止因操作不当发生的特殊情况
- 定时翻身时间有30分钟与45分钟两种操作模式可供选择
- 床头和护栏采用木纹颜色装饰,更贴合家居风格
- 坐便转换为手动快速扳手,可使便口在1秒内打开,减少等待时间
- 重量: 110kg 工作负重: 200kg
- 1. Overall dimension: (length * width * height) 2,080 * 1,040 * 560mm
- and falling, and manually potty conversion
- 3. Manual & electric operation modes, to meet the normal use under different conditions, The bed body can realize
- 4. ABS large guardrall can be lifted up and down. The air-operated reduction gear in the declining process can
- 5. The overall bed body turns over to the left and right sides, improving the effectiveness of turning over , making

- the waiting time

起背功能 The back-lifting function











上曲腿功能

Leg-up function

ZF-ME-02B

冲压床面款

Stamping bed surface model

注:床垫颜色以实物为准

Note: the mattress color in kind prevail


平躺状态 The state of lying down



手摇操作功能 Hand-operated function



手动解便功能 Electric defecation function



ZF-ME-03

手电两用家居翻身护理床

ZF-ME-03 Manual & electric biservice household turning over nursing bed













功能特点: Function characteristics

- · 外型尺寸: (长 × 宽 × 床面高) 2080 × 960 × 560mm
- 功能: 电动左右翻身、电动起身、电动腿位升降、手动坐便转换
- · 手动电动两种操作模式,满足不同条件下产品的正常使用
- · 可一键复位到床体平躺状态,不必依次恢复各功能
- · 定时翻身时间有 30 分钟与 45 分钟两种操作模式可供选择 • 电机末端都是采用内藏式设计,可防止在电动护理时电机与物体缠绕
- 坐便转换为手动快速扳手,可使便口在1秒内打开,减少等待时间
- · 重量: 100kg 工作负重: 200kg
- 1. Overall dimension: (length * width * height) 2,080 * 960 * 560mm
- 2. Functions: power-driven turnover to left and right, power-driven back lifting, power-driven leg position lifting and falling, and manually potty conversion
- 3. Electric and manually crank two operation models, to satisfy the normal use of different situations.
- 4. The bed body can realize one-button resetting to lie-flat status without any need to restore functions one by one. 5. Timed turnover period is optional (30min or 45min).
- 6. The end of electrical machine is designed as built-in type, which can prevent the twisting of electrical machine
- with object during power-driven nursing 7. Potty conversion uses manual quick wrench, which makes the potty can be opened within 1 second, reducing waiting time.
- 8. Weight:100kg Work load:200kg



起背功能



翻身功能 Turning-over function



上曲腿功能 Leg-up function



平躺状态 手摇操作功能 The state of lying down Hand-operated function



解便功能 The defecation function



防下滑功能

ZF-ME-04

手电一体多功能防下滑防侧翻护理床

ZF-ME-04 Manual& electric integration multi-functional prevent side slide and side rollover nursing bed













- 外型尺寸: (长 × 宽 × 床面高) 2080 × 960 × 560mm
- 功能: 电动左右翻身、电动起背、电动腿位升降、手动坐便转换
- 起背防侧滑:随着人体坐起角度不断加大,两侧床板向内运动,成半包围形式、避免被护理者向两侧倾斜
- 坐立防侧滑:随着其被功能的进行,人体腿部的托板向上抬起,很好的防止了被护理者在起背过程中失去有 效的坐姿,产生下滑和坐便位置偏移
- 定时翻身时间有30分钟和45分钟两种操作模式可选择
- 电机末端都是采用内藏式设计,可防止在电动护理时电机与物体缠绕

- 1. Overall dimension: (length * width * height) 2,100 * 960 * 560mm
- 2. Functions: power-driven turnover to left and right, power-driven back lifting, power-driven leg position lifting and falling, and power-driven potty conversion, power-driven defecation.
- 3. Back lifting prevents side slide, as sit-up angle of the human body continuously increases, bedplates at two sides move inward in half-surrounded pattern so as to prevent the person to be cared from inclining to two sides.
- 4. Electric and manually crank two operation models, to satisfy the normal use of different situations.
- 5. The hip mattress adopt waterproof material, prevent the inner form liquid pollution.
- 6. The bed body can realize one-button resetting to lie-flat status without any need to restore functions one by one.
- 7. Timed turnover period is optional (30min or 45min).
- 8. The end of electrical machine is designed as built-in type, which can prevent the twisting of electrical machine with object during power-driven nursing
- 9. Weight:110kg Work load:200kg

- 可一键复位到床体平躺状态,不必依次恢复各功能

- 坐便转换为手动快速扳手,可使便口在1秒内打开,减少等待时间
- · 重量: 110kg 工作负重: 200kg

起背防下滑防侧滑 The back-lifting anti slide/sideslip function







注:床垫颜色以实物为准

Note: the mattress color in kind prevail



平躺状态 The state of lying down



坐起状态 The state of sit up



解便功能 The defecation function



ZF-ME-05轮椅护理床

ZF-ME-05 Wheelchair nursing bed

功能特点: Function characteristics

- 床体外形尺寸。(长 × 宽 × 床面高) 2130 × 1060 × 620mm
- · 轮椅外形尺寸: (长 × 宽 × 床面高)900×540×620mm
- 功能:轮椅分离功能、起背、腿部升降、坐便转换
- 轮椅部分可与床体分离方便推动、外出,方便在卫生间解决大小便问题(高度与坐便器吻合),并配有安全带
- 起背防侧滑随着人体坐起角度不断加大,两侧床板向内运动,呈半包围形式,避免被护理者向两侧倾斜。
- 床垫外层床罩为席梦思床垫面料,体感舒适,柔软,透气性好,轮椅坐垫采用皮革材质,可防止液体污染内胆,
- 坐便转换为手动快速扳手,可使便口在1秒内打开,减少等待时间
- 摇杆具有双向过摇保护装置,不会因摇过而损坏,增加使用寿命
- 床体头部下方装有置物架,方便随时拿取所需用品
- 双排面脚轮带独立刹车,静音、耐磨、稳定可靠
- 床架和床面采用机器人平铺满焊,焊接牢靠,焊接处平整光滑,坚固耐用
- · 木箱包装外辅铁架加固, 确保运输安全
- · 重量: 120kg 工作负重: 200kg
- 1. Bed Body outline dimension: (length * width * height) 2,100 * 1060 * 620mm
- 2. Wheelchair outline dimension:(length * width * height) 900 * 540 * 620mm
- 3. Function: wheelchair separation function, getting up, leg lifting, pedestal pan converting 4. The part of wheelchair can be separated from the bed body, which is convenient to push and go out.
- The urine and excrement can be solved in the toilet (height is identical to toilet), with a seat belt. 5. Back lifting prevents side slide, as sit-up angle of the human body continuously increases, bedplates
- at two sides move inward in half-surrounded pattern so as to prevent the person to be cared from 6. The bedspread of the outer mattress is Simmons. The fabric is comfortable, soft and breathable. The
- wheelchair cushion is made of leather, which can prevent the pollution of liner, convenient cleaning. 7. Potty conversion uses manual quick wrench, which makes the potty can be opened within 1 second, reducing waiting time.
- 8. The rocker has a two-way over-rolling protection device, which can reduce the damage due to over-rolling and prolong the service life.
- 9. Bed Body outline dimension: (length * width * height) 2,100 * 1060 * 620mm
- 10. The lower part of the headboard is equipped with a shelf, which is convenient for taking the articles at any time.
- 11. Double-row castors with independent brake, silent, wear-resisting, stable and reliable 12. The bed frame and bed surface are fully welded by the robot, the welding is reliable, the welding is smooth and finishing, sturdy and durable.
- 13. The wooden box package is fixed with iron stand, to ensure the safety of transportation.
- 14. Weight: 120kg Work load: 200kg









This goods can be wildly used in the nursing home, rehabilitation center and home-nursing and so on. 本款产品可广泛用于养老院、康复中心以及家庭护理等方面

Zhaofa Medical

Multifunctional nursing bed series



stamping bed surface model

整体翻身功能

The integral turning-over function

平躺状态

The state of lying down

ZF-ME-06 豪华家用手动整体侧翻身护理床

C05S Luxurious household manual integral side turning over nursing bed

功能特点: Function characteristics

- · 外型尺寸, (长 × 宽 × 床面高) 2080 × 1060 × 560mm
- · 功能: 左右翻身、起背、腿位升降、坐便转换
- · 床体原材料采用厚度 1.2mm 的 40×60 方管,床面原材料采用厚度 1.2mm 的 15×30 方管
- · 床体连接件均采用厚壁 2.75mm 以上管材或 3mm 冷板冲压成型
- 到床面下方, 更方便用户上下床
- · 床面可整体向左右侧翻身,根据需要可随意调整角度,速度平缓,角度合理, 木纹床头设计更贴和家居风格
- 摇杆具有双向过摇保护装置,不会因摇过而损坏,增加其使用寿命
- 坐便转换为手动快速扳手,可使便盆在1秒之内打开,减少用户的等待时间
- · 床头和护栏采用木纹颜色装饰, 更贴合家居风格
- 静音万向脚轮,静音、耐磨、稳定可靠
- · 床架和床面采用机器人平铺满焊,焊接牢靠,焊接处平整光滑,坚固耐用
- · 重量: 110kg 工作负重: 200kg

- 3. The raw material of the bed frame adopts 1.2mm thickness 40X60 square tube.
- 4. The raw material of the bed surface adopts 1.2mm thickness 15X30 square tube.
- 5. The body of the bed is made of punch forming of 2.75mm thickness 3mm cold-roll steel sheet.
- 6. ABS guardraist can be up and down, pneumatic speed reduction device used during the guardraits falling, to prevent in the process of falling the speed is too fast. For the convenience of users in and out bed, the ABS guardrail can be falling under the bed.
- speed, reasonable angle, the wood grain bedside design is more fitting furniture style.
- prolong the service life
- waiting time.
- 10. The headboard and guardrails adopt the color of wood grain to decorate, which is more fitting furniture style.
- 11. The silent universal casters, silent, wear-resisting, stable and reliable.
- 12. The bed frame and bed surface are fully welded by the robot, the welding is reliable, smooth and finishing, sturdy
- 13. Weight:110kg Work load:200kg

- ABS 大护栏可上下升降,下降过程中有气动减速装置,防止在下降过程中速度过快。ABS 大护栏可完全下降

- 1- Overall dimension: (length * width * height) 2,080 * 1060 * 560mm
- 2. Function: turn over to left and right, back lifting, leg position lifting and falling, and potty conversion.

- 7. The whole bed surface can turn over to left and right , the angle can be adjustable according to the need, slow
- 8. The rocker has a two-way over-rolling protection device, which can reduce the damage due to over-rolling and
- 9. Potty conversion uses manual quick wrench, which makes the potty can be opened within 1 second, reducing

上曲腿功能 解便功能 Leg-up function The defecation function













翻身功能 Turning-over function

2. Function: manually turn over to left and right, back lifting, leg position lifting and falling, and potty conversion.

6. Potty conversion uses manual quick wrench, which makes the potty can be opened within 1 second, reducing

9. The bed frame and bed surface are fully welded by the robot, the welding is reliable, smooth and finishing,

ZF-ME-07

功能特点: Function characteristics

ZF-ME-07 Manual multifunctional turning over nursing bed

· 外型尺寸: (长 × 宽 × 床面高) 2080 × 960 × 550mm

· 床体连接件均采用厚壁 2.75mm 以上管材或 3mm 冷板冲压成型

· 坐便转换为手动快速扳手,可使便口在1秒内打开,减少等待时间

1. Overall dimension: (length * width * height) 2,080 * 960 * 550mm

7. The silent universal casters, silent, wear-resisting, stable and reliable.

8. The wood grain headboard design is more fitting furniture style.

· 床架和床面采用机器人平铺满焊,焊接牢靠,焊接处平整光滑,坚固耐用

3. The raw material of the bed frame adopts 1.2mm thickness 40X80 square tube.

4. The raw material of the bed surface adopts 1.2mm thickness 15X30 square tube.

5. The body of the bed is made of punch forming of 2.75mm thickness 3mm cold-roll steel sheet.

· 功能: 手动左右翻身、起身、腿位升降、坐便转换

· 床体原材料采用厚度 1.2mm 的 40×80 方管

· 床面原材料采用厚度为 1.2mm 的 15×30 方管

· 静音万向脚轮, 耐磨、具有独立刹车、稳定可靠

· 木纹床头设计更贴和家居风格

waiting time.

sturdy and durable.

· 重量: 110kg 工作负重: 200kg

10. 10. Weight: 110kg Work load: 200kg



平躺状态 The state of lying down



上曲腿功能 Leg-up function



解便功能 The defecation function



This goods can be wildly used in the nursing home, rehabilitation center and home-nursing and so on. 本款产品可广泛用于养老院、康复中心以及家庭护理等方面

本款产品可广泛用于养老院、康复中心以及家庭护理等方面 This goods can be wildly used in the nursing home, rehabilitation center and home-nursing and so on.

Multifunctional nursing bed series













ZF-ME-08

ZF-ME-08 Wooden headboard and footboard manual household nursing bed

功能特点: Function characteristics

- · 外形尺寸: (长 × 宽 × 床面高) 2160 × 960 × 550mm
- · 功能: 手动左右翻身、起身、腿部升降、坐便转换
- · 床头床尾采用压缩木板制作更好的贴和家居风格, 外型美观,装卸自如,坚固耐用
- 床体原材料采用厚度 1.2mm 的 40×60 方管
- 床面原材料采用厚度 1.2mm 的 15×30 方管
- 床体连接件均采用厚度 2.75mm 以上的管材或 3mm 冷板冲压成型
- 坐便转换为手动快速扳手,可方便口在1秒内打开,减少等待时间
- · 床架和床面采用机器人平铺满焊,焊接牢靠,焊接处平整光滑,坚固耐用
- 重量: 110kg 工作负重: 200kg
- 1. Overall dimension: (length * width * height) 2,160 * 960 * 550mm
- 2. Function: manually turn over to left and right, back lifting, leg position lifting and falling, and potty conversion.
- 3. The headboard and footboard adpot advanced compressed wood, which is fitting home furnishing style, beautiful appearance, easy loading and unloading, sturdy and durable.
- 4. The raw material of the bed frame adopts 1.2mm thickness 40X60 square tube.
- 5. The raw material of the bed surface adopts 1.2mm thickness 15X30 square tube.
- 6. The body of the bed is made of punch forming of 2.75mm thick 3mm cold-roll steel sheet.
- 7. Potty conversion uses manual quick wrench, which makes the potty can be opened within 1 second, reducing
- 8. The bed frame and bed surface are fully welded by the robot, the welding is reliable, smooth and finishing, sturdy and durable.
- 9. Weight:110kg Work load:200kg

ZF-ME-09

手动多功能翻身护理床

ZF-ME-09 Manual multifunctional turning over nursing bed

功能特点: Function characteristics

- · 外型尺寸: (长 × 宽 × 床面高) 2080 × 960 × 550mm
- 功能: 左右翻身、起背、腿位升降、坐便转换
- · 床体原材料采用厚度 1.2mm 的 40×60 方管
- 床面原材料采用厚度 1.2mm 的 15×30 方管
- 床体连接件均采用厚壁 2.75mm 以上管材或 3mm 冷板冲压成型
- 坐便转换为手动快速扳手,可使便口在1秒内打开,减少等待时间
- 静音万向脚轮,耐磨、具有独立刹车、稳定可靠
- · 床架和床面采用机器人平铺满焊,焊接牢靠,焊接处平整光滑,坚固耐用
- · 重量: 110kg 工作负重: 200kg
- 1. Overall dimension: (length * width * height) 2,080 * 960 * 550mm
- 2. Function: manually turn over to left and right, back lifting, leg position lifting and falling, and potty conversion.
- 3. The raw material of the bed frame adopts 1.2mm thickness 40X60 square tube.
- 4. The raw material of the bed surface adopts 1.2mm thickness 15X30 square tube.
- 5. The body of the bed is made of punch forming of 2.75mm thick 3mm cold-roll steel sheet.
- 6. Potty conversion uses manual quick wrench, which makes the potty can be opened within 1 second, reducing
- 7. The silent universal casters, silent, wear-resisting, stable and reliable.
- 8. The wood grain headboard design is more fitting furniture style.
- The bed frame and bed surface are fully welded by the robot, the welding is reliable, smooth and finishing, sturdy
- 9. and durable.
- 10. 10.Weight:110kg Work load:200kg





翻身功能 平躺状态 上曲腿功能 解便功能 Turning-over function The state of lying down Leg-up function The defecation function



ZF-E01电动家居旋转床


























ZF-E02 电动五功能家居床



尺寸 (Size):



长 2050 × 960 × 350/670mm

















ZF-E03 电动三功能家居床 Manual functional household bed

尺寸(Size):长2020×1000×350/670mm



ZF-E04 电动三功能家居床 Manual functional household bed

尺寸 (Size): 2070×1020 (1105 含床头)×480mm









ZF-E05 电动三功能家居床

尺寸 (Size): 2020 × 1000 × 320/670mm









ZF-E06 电动两功能家居床

尺寸 (Size): 2050×1020×530mm







ZF-E07 电动两功能家居床 Manual functional household bed

尺寸 (Size): 2080×1060×480mm





ZF-E08 手动两功能家居床

尺寸 (Size): 2050 × 960 × 500mm



ZF-E09 手动两功能家居床

尺寸 (Size): 2025×1025×470mm







ZF-E10 手动一功能家居床

尺寸 (Size): 2070×1020×510mm



Baby/children bed series 婴儿/儿童床系列

Children hospital bed ZFX-01 儿童病床



Children hospital bed ZFX-02 儿童病床



Baby cart **ZFX-05** 婴儿床





Children hospital bed ZFX-03 儿童病床




Baby cart ZFX-04 婴儿床



Baby cart **ZFX-06** 婴儿床







医院/病房用具 Operating table/Emergency cart/Transfer cart

妇科检查床

Gynecological examination table



Electric operating bed series 电动手术床系列

Electric surgery comprehensive operating bed ZF-ES-01电动外科综合手术床



长: 2050mm Length: 2050mm	宽: 500mm Width: 500mm		
高度: 750–1050mm(升降) Height: 750–1050mm(go up and down)			
前倾: 20° Forward leaning: 20°	后倾:15° Recline:15°		
左倾: 18° Left-leaning: 18°	右倾: 18° Right-leaning: 18°		
背板上升: 60° Backplane lift: 60°	背板下降: 15° Backplane drop: 15°		
头板上升: 60° Head lift: 60°	头板下降: 90° Head drop: 90°		
腿板下折: 90° Leg plate fold down: 90°	腿板外展: 90° Leg plate abduction: 90°		

腰板可上升120mm The waist can rise120mm

本产品可供医院实行头、颈、胸腹腔、会阴、四肢等 外科、妇产科、五官科、脑外科手术。台面可分为四段, 由头板、背板、臀板和腿板组成, 腿板即可外展又可拆 卸,调节十分方便,十分适合泌尿科手术;产品主体采用 304不锈钢材质制作而成,床身整体各个部位的驱动方式 均由电动推杆实现,采用知名品牌电机系统,可保证运行 后无噪音, 杜绝了给手术医师者带来的声音干扰。遥控面 板为按钮操作,造型新颖,配有脚踏刹车,安全可靠,稳 定性高。

This product can be used in hospitals for head, neck, chest and abdominal cavity, perineum, limbs and other surgery, obstetrics and gynecology, ent, brain surgery. The table can be divided into four sections, which are composed of the head plate, the back plate, the hip plate and the leg plate. The leg plate can be abducted and detachable. The adjustment is very convenient, and it is very suitable for urological surgery. The main body of the product is made of 304 stainless steel material. The driving mode of all parts of the whole bed is realized by the electric push rod. The well-known brand motor system can ensure no noise after operation and eliminate the sound interference to the surgeons. Remote control panel for button operation, novel shape, equipped with foot brake, safe and reliable, high stability.

Electric maternity integrated operating bed ZF-ES-02电动产妇一体综合手术床



高度: 730-1030mm (电动升降) 长: 2020mm 宽: 500mm Length: 2020mm Width: 500mm Height: 730-1030mm (go up and down)

本产病一体床可以轻松实现从待产到分娩、产后恢复一体化,适用于仰卧位、坐位、侧卧位、蹲位等多种体位的分娩方式,全称呵护, 安全可靠。

- 1.运行速度平稳,体位摆放精准,性能可靠,经久耐用;
- 2.ABS可拆卸式头板带有自动锁定装置、方便拆卸抢救, 特殊护理及安全搬运病人;
- 3.床头具备防撞性能,防撞角采用压铸铝金属材质制作,配有防撞轮、坚固耐用,并可单独更换;
- 4.护栏采用聚氨酯发泡模具一次性成型,下降后完全可以收于床板之下,护栏的上部呈易于握持的形状,可作病人起立时的助力棒;
- 5.配有托腿架、助产把手等附件,功能齐全,操作方便;
- 6.采用中控刹车静音脚轮,稳定安全、易操作,方便固定和移动;
- 7.主体床垫与脚部床垫连接处具有V型切口,脚部床垫可折叠。床垫外套防水设计填充物为减压泡沫,防水、柔软、防腐、防臭、易剂

The birth disease integrated bed can easily achieve from labor to delivery, postpartum recovery integration, suitable for supine position, sitting position, lateral position, squat and other positions of delivery, full name care, safe and reliable.

- . Smooth running speed, precise position placement, reliable performance, durable:
- 2.ABS detachable head plate with automatic locking device, convenient disassembly rescue, special care and safe handling of patients;

 3. The head of the bed has anti-collision performance, anti-collision Angle is made of die-cast aluminum metal material, equipped with anti-collision wheel, durable.
- 4. The guardrail is made of polyurethane foam mold one-time molding, which can be closed under the bed plate after falling. The upper part of the guardrail is easy to hold, which can be used as the help rod when the patient stands up;
- Equipped with leg support frame, midwifery handle and other accessories, complete functions, easy to operate;
 Adopt middle control brake mute casters, stable, safe, easy to operate, easy to fix and move;
- 7. There is a V-shaped incision at the connection between the main mattress and the foot mattress, and the foot mattress can be folded. Mattress jacket waterproof design filler for decompression foam, waterproof, soft, anti-corrosion, anti-odor, easy to clean
- 8. The operating table is equipped with built-in battery to ensure the normal use of the equipment in the case of power failure.

Electric side display gynecological operating table ZF-ES-03 电动侧展妇科手术台

长: 1850mm 宽: 600mm 高度: 730-1000mm (电动升降) Length: 1850mm Width: 600mm Height: 730-1000mm (go up and down) 电动侧展妇科手术台是根据市场需求,吸引和借鉴国外先进技术制造的,台面功能根据人体功能设计,美观新颖;具有供妇产科检查、

诊断、分娩以及紧急剖腹产手术在内的多功能妇产手术台。

- 1. 附件齐全, 功能完善。配有背板、搁臂板、支腿架、污物盆、腿板辅助台、麻醉展架等附件:
- 2.底座采用优质304不锈钢,承重大、耐消毒、易清洁,充分满足手术后床台消毒;
- 3.手持操纵器,外形设计流畅,符合人体工学,握持舒适;
- 4.床体采用优质不锈钢制成,外形美观,易于清洗、消毒;
- 5.腿板辅助板为轴式旋转设计可侧开90°, 可拆卸, 收纳方便
- 6.可伸缩式不锈钢污物盆,可防止分娩时羊水外溅,且使用便利
- 7.床垫采用优质海绵床垫;
- 8.机械刹车,方便手术台移动和固定;
- 9.可洗配脚踏开关:
- 10.手术台配有内置蓄电池,保证断电情况下设备正常使用。

Electric side display gynecological operating table is based on market demand, attract and learn from foreign advanced technology manufacturing, table function according to human body function design, beautiful and novel; It has a multifunctional gynecological operation table for examination, diagnosis, delivery and emergency caesarean section.

1. Complete accessories and complete functions. Equipped with backboard, arm shelf, leg frame, dirt basin, leg plate auxiliary table, anesthesia display frame and

- other accessories: 2. The base is made of high quality 304 stainless steel, heavy bearing, antiseptic resistant, easy to clean, fully meet the post-operation table disinfection:
- 3. Hand-held manipulator, smooth shape design, ergonomic, comfortable to hold;
- 4. The bed body is made of high quality stainless steel, beautiful appearance, easy to clean and disinfect: 5. The leg plate auxiliary plate is designed for shaft rotation, which can be opened 90°, detachable and convenient for storage;
- 5. Retractable stainless steel dirt basin, can prevent the amniotic fluid splashing during childbirth, and easy to use;
- The mattress adopts high quality sponge mattress:
- Mechanical brake, convenient operation table movement and fixation;
- 10. The operating table is equipped with built-in battery to ensure the normal use of the equipment in the case of power failure.

转运车系列 Transfer car

ZF-HS-01

转运车

ZF-HS-03

转运车

尺寸 (Size)

1930 × 640 × 500/900mm

ZF-IIS-01 Hydiaulic Stretcher

尺寸 (Size) 1930 × 640 × 500/900mm



ZF-HS-02 转运车

ZF-HS-02 Hydiaulic Stretcher

1930 × 640 × 500/900mm





ZF-HS-04

手术对接车

ZF-HS-04 Luxurious docking car

尺寸 (Size)

3650 × 640 × 640/970mm



ZF-HS-06

豪华液压升降平车

ZF-HS-06 Luxury hydraulic lift flat car

尺寸 (Size)

1980 × 800 × 610/930mm



按摩床系列 Massage bed

ZF-M01按摩床

ZF-M01 Massage bed



尺寸 (Size): 1900×600×650mm 孔径: 18cm

ZF-M02按摩床

ZF-M02 Massage bed



孔径: 18cm

ZF-M03按摩床

ZF-M03 Massage bed



R寸 (Size): 1900×600×650mm 孔径: 18cm

ZF-M04按摩床

ZF-M04 Massage bed



尺寸 (Size): 1900×700×650mm 孔经: 18cm

ZF-M05门诊床 ZF-M05 Outpatient bed



尺寸 (Size): 1900×600×650mm

检查床系列 Examination bed

ZF-J01 按摩床

ZF-J01 Massage bed

尺寸 (Size): 1800×780×610/900mm 孔径: 10×25cm



ZF-J02电动升降检查床 ZF-J02 Electric lift check the bed

尺寸 (Size): 2000×600×400/900mm 升降行程: 400-900cm



Stretcher series 担架车系列



Aluminum alloy automatic shift stretcher ZFS-03 铝合金自动变位担架车



Aluminum alloy stretcher ambulance ZFS-02 铝合金担架救护车



Aluminum alloy chair stretcher z_{FS-04} 铝合金椅式担架车



Stretcher series 担架系列





Iron spray stretcher ZFS-05 铁喷塑担架







Stainless steel stretcher ZFS-07 不锈钢担架

陪护椅、输液椅系列 Accompanying chair, infusion chair









陪护椅、输液椅系列 Accompanying chair, infusion chair







ABS Trolley Series ABS小推车系列



ZFT01 急救车 Emergency Trolley



ZFT04 输液车 Infusion Trolley



ZFT07多功能护理车 Multifunctional Care Trolley



ZFT02 治疗车 Treament Trolley



ZFT05 麻醉车 Anesthesia Trolley



ZFT08 多功能简易小推车 Multifunctional Small Trolley



ZFT03 送药车 Medicine Trolley



ZFT06 病历车 Medical Record Trolley



ZFT09 污物车 Dirt Trolley

Stainless Steel Trolley Series 不锈钢小推车系列



ZF-ST01 治疗车 Treament Trolley



ZF-ST04 麻醉送药车 Anesthesia Medicine Trolley



ZF-ST07输液车 Infusion Trolley



ZF-ST02 治疗车 Treament Trolley



ZF-ST05 麻醉柜 Anesthesia Cabinet



ZF-ST08 病历车 Medical Record Trolley



ZF-ST03 组装款治疗车 Treament Trolley



ZF-ST06 抢救车 Rescue Trolley



ZF-ST09 仪器车 Instrument Trolley

床头柜系列 Bedside table series



ZF-C01

ABS 床头柜

ZF-C01 ABS Bedside Cabinet

尺寸 (Size): 420×450×720mm



ZF-C02

ABS 床头柜

ZF-C02 ABS Bedside Cabinet

尺寸 (Size): 480×480×760mm



ZF-C03

ABS 床头柜 (不锈钢面)

ZF-C03 ABS Bedside Cabinet (stainless steel surface)

尺寸 (Size): 480×480×760mm



ZF-C04 ABS 床头柜 (不锈侷面)

ZF-C04 ABS Bedside Cabinet (stainless steel surface)

尺寸 (Size): 480×480×760mm



ZF-C05 ABS 床头柜

ZF-C05 ABS Bedside Cabinet

尺寸(Size): 480×480×760mm



ZF-C06 ABS 床头柜

ZF-C06 ABS Bedside Cabinet

尺寸 (Size); 480×480×880mm



ZF-C07

ABS 床头柜

ZF-C07ABS Bedside Cabinet

尺寸 (Size): 480×480×820mm



ZF-C08

塑钢一体床头柜

ZF-C08 Model steel Bedside Cabinet

尺寸 (Size): 465 * 455 × 810mm



ZF-C09

ABS 床头柜

ZF-C09 ABS Bedside Cabinet

尺寸 (Size): 480×480×760mm



ZF-C10 ABS 床头柜

ZF-C10 ABS Bedside Cabinet

尺寸 (Size): 480×480×880mm



ZF-C11

木制床头柜

ZF-C11Wooden Bedside Cabinet

尺寸 (Size): 450×450×720mm



ZF-C12 木制床头柜

ZF-C12 WoodenBedside Cabinet

尺寸 (Size): 450×450×720mm

气床垫、输液恒温器系列 Air mattress, infusion thermostat

波动型气床垫

ZF-QD01 Fluctuation type Air mattress

尺寸 (Size): 2000 = 900mm



便口型气床垫

ZF-QD02 They die Air mattress

Rtf (Size): 2000 × 900mm



护理床专用气床垫

ZF-QD03 Nursing bed special-purpose Air mattress



整体翻身便口型气床垫

ZF-QD04 Integral turning over with toilet type Air mattress

尺寸(Size): 2000×900mm



输液恒温器

Transfusion thermostat



33



Manual wheelchair



电动轮椅



Walker series 助行器系列



















坐便椅、助行器系列 Commode chair, walker



拐杖、助行器系列 Crutches, walking aid series



配件系列 Accessories Series

ABS 伸缩餐板 -1 ABS telescopic dinner plate-1

ABS 伸缩餐板-2 ABS telescopic dinner plate-2

PP 餐桌





复合床头



铝合金复合床头

Aluminum alloy composite bed




铝合金护栏 Aluminum guardrail




S型立柱铝合金护栏

S type column aluminum guardrail



插式铁护栏

Plug-in iron fence



日式铁护栏 Japanese iron fence



旋转助站护栏



四折床垫





YH-E02 移动升降餐桌 HR-E02 Mobile lift table



配件系列 Accessories Series

ABS 床头 ABS bedside



ICU 病床床头-1 (2)

Head of ICU SICKBED -1 (2)



ICU 病床床头-1 (1)

Head of ICU SICKBED -1 (1)







防撞轮床头-1

Anti-collision wheel head -1



防撞轮床头-3(2)

Anti-collision wheel head -3(2)



防撞轮床头 -3(1)

Anti-collision wheel head -3(1)



铝合金复合床头





Aluminum alloy composite bed head

欧式床头-1

European bedhead -1



PP 小护栏 PP small fence



PP 大护栏 PP big fence



双面静音轮

Double-sided mute wheel



单面静音轮 Single mute wheel

